

AMENDMENTS TO THE SPECIFICATION:

Please replace the title with the following amended title:

--DRAWN FILM AND PROCESS FOR PRODUCING THE SAME.--

Please amend the paragraph at page 4, line 16, as follows:

A first aspect of the present invention provides a drawn film having, as at least one outermost layer thereof, a layer (A) which comprises a copolymer that is made from 4-methyl-1-pentene and ethylene or an α -olefin, except 4-methyl-1-penten 4-methyl-1-pentene having 3 to 20 carbon atoms and that comprises 80% or more by mole of 4-methyl-1-pentene and which does not substantially comprise wax or organic silicone compound, the peel area of the film being 50% or more when the film, together with a copper foil surface subjected to roughening treatment, is subjected to heating and pressing treatment.

Please amend the paragraph at page 4, last line, as follows:

A second aspect of the present invention provides a drawn film having, as at least one outermost layer thereof, a layer (A) comprising a copolymer that is made from 4-methyl-1-pentene and ethylene or an α -olefin, except 4-methyl-1-penten 4-methyl-1-pentene, having 3 to 20 carbon atoms and that comprises 80% or more by mole of 4-methyl-1-pentene, the thermal coefficient of contraction of the film being 20% or more along the direction in which the film is drawn.

Please amend the paragraph at page 5, line 8, as follows:

A third aspect of the present invention provides a film which is obtained by drawing a multi-layer film composed of a layer (A) comprising a copolymer that is made from 4-methyl-1-pentene and ethylene or an α -olefin, except 4-methyl-1-penten 4-methyl-1-pentene, having 3 to 20 carbon atoms and that comprises 80% or more by mole of 4-methyl-1-pentene, and a layer (B) laminated on the layer (A) to contact the layer (A) and comprising a different thermoplastic resin, and then peeling the layers (A) and (B) from each other; and which has, as at least one outermost layer thereof, the layer (A) obtained after the peeling.

Please amend the paragraph at page 5, line 25, as follows:

A fourth aspect of the present invention provides a process for producing a drawn film, comprising the step of drawing a sheet composed of at least one outermost layer made of a layer (A) which comprises a copolymer that is made from 4-methyl-1-pentene and ethylene or an α -olefin, except 4-methyl-1-penten 4-methyl-1-pentene, having 3 to 20 carbon atoms and that comprises 80% or more by mole of 4-methyl-1-pentene and which does not substantially comprise wax or organic silicone compound, and a layer (B) which is formed on the layer (A) and comprises a different thermoplastic resin; and the step of peeling the layer (B) from the other portions.

Please amend the paragraph at page 6, line 10, as follows:

The following describes the drawn film of the present invention which has, as at least one outermost layer thereof, a layer (A) comprising a copolymer that is made from 4-methyl-1-pentene and ethylene or an α -olefin, except 4-methyl-1-penten

4-methyl-1-pentene, having 3 to 20 carbon atoms, and which does not substantially comprise wax or organic silicone compound, the peel area of the film from a copper foil surface subjected to roughening treatment being 50% or more, or the thermal coefficient of contraction of the film being 20% or more along the direction in which the film is drawn;

Please amend the paragraph at page 6, line 20, as follows:

Further, the following describes the film which is obtained by drawing a multi-layer film composed of a layer (A) comprising a copolymer that is made from 4-methyl-1-pentene and ethylene or an α -olefin, except ~~4-methyl-1-penten~~ 4-methyl-1-pentene, having 3 to 20 carbon atoms, and a layer (B) laminated on the layer (A) to contact the layer (A) and comprising a different thermoplastic resin, and then peeling the layers (A) and (B) from each other; and which has, as at least one outermost layer thereof, the layer (A) obtained after the peeling; and a superior process for producing the film.

Please amend the paragraph at page 7, line 4, as follows:

[Components which constitute a layer (A) comprising a copolymer that is made from 4-methyl-1-pentene and ethylene or an α -olefin, except ~~4-methyl-1-penten~~ 4-methyl-1-pentene, having 3 to 20 carbon atoms]

Please amend the paragraph at page 7, line 7, as follows:

4-Methyl-1-pentene copolymer (a) which constitutes a layer (A) comprising a copolymer that is made from 4-methyl-1-pentene and ethylene or an α -olefin, except

~~4-methyl-1-penten~~ 4-methyl-1-pentene, having 3 to 20 carbon atoms in the present invention is a copolymer made from 4-methyl-1-pentene and ethylene or an α -olefin, except 4-methyl-1-pentene, having 3 to 20 carbon atoms, preferably 7 to 20, more preferably 8 to 20.

Please cancel the current Abstract and replace it with the following new Abstract:

Abstract: